

DEPARTMENT OF THE NAVY

NAVAL SUPPORT ACTIVITY WASHINGTON 1411 PARSONS AVENUE ST STE. 303 WASHINGTON NAVY YARD DC 20374-5003

> 5090 Ser N4/340 October 16, 2015

Ms. Ingrid Hopkins EPA Region III NPDES Enforcement (3WP42) 1600 Arch Street Philadephia, PA 19103-2029

Ms. Hopkins:

SUBJECT: NOTIFICATION OF EXCEEDANCES WASHINGTON NAVY YARD, NPDES PERMIT NUMBER DC000141

Naval Support Activity Washington is submitting this letter as the written Notification of Exceedances in accordance with the National Pollutant Discharge Elimination System (NPDES) permit number DC0000141. NAVFAC became aware of the exceedance on October 13, 2015 as a result of a routine monitoring event on September 21, 2015 for the monitoring period July 22 through September 21, 2015. In keeping with reporting requirements NAVFAC Washington contacted EPA NPDES Enforcement by phone on October 14, 2015 to report the exceedance. The written account is as follows:

a. NPDES Outfall 008: A qualifying rain event occurred on the WNY on September 21, 2015. Samples were collected and analyzed in accordance with the Permit DC0000141. A grab sample was taken at outfall 008 and analyzed for Total Copper. The reported laboratory result was 124 ug/L. The permit limit for Total Copper is 114 ug/L. The duration of the exceedance appears to be intermittent and associated with larger but less frequent rain events as there have been no operational changes. NAVFAC Washington will continue to evaluate sampling data and site conditions to determine any needed corrective actions and evaluation of sources.

If you have any questions or concerns please contact Ms. Jennifer Pipe at (202) 433-7182 or at Jennifer.pipe@navy.mil.

Sincerely,

DURANT S. GRAVES

Durant S. Leaves

Installation Environmental Program

Director

By direction of Commanding Officer